

Amelanchier canadensis Serviceberry




Summer Foliage



Fall Foliage



Summer Fruit



Spring Flower

Characteristics: Broad-leaved, deciduous tree

Appearance:

Height - 35 to 50 ft.

Aerial Spread - 35 to 50 ft.

Flower Color - White

Flowering Period - Mid through late April

Fruit Color - Dark purple to black

Fruiting Period - Mid June through mid July

Habitat (Community): Shrub swamps, forested wetlands

Hydrology:

Indicator status - Facultative wetland

Salinity - Resistant; tolerates infrequent flooding by water containing some salt

Non-Tidal Regime - Irregularly to seasonally inundated or saturated

Wildlife Benefits: (**Fruit**) food for ruffed grouse; hairy, downey, and red headed woodpeckers; tufted titmouse, red-winged blackbird, eastern bluebird, cedar waxwing, mourning dove, common flicker, eastern phoebe, blue jay, brown thrasher, red-eyed vireo, American redstart, northern oriole, scarlet tanager, cardinal, rose-breasted grosbeak, northern junco, and song sparrow; (**Cover and Nesting**) for eastern kingbird, American robin, wood, hermit, and Swainson's thrushes

Distribution: Newfoundland to Mississippi on Coastal Plain